	່ ບ	TAH OIL AND	GAS CONSERVA	TION COMM	ISSION			<u> </u>
REMARKS: Well Log	Electric Logs	File X	Water Sands	Location	Inspected	Sub.re	port of A	Vbd.
Contractor!	Lugh Has	nis)		F				
	0							
* Ilai	ice to can	ulapplu	cation 1-10-0	64				
		<u> </u>	<i>C</i>					
						· .		
				<u> </u>				
DATE FILED	10-2-63							
LAND: FEE & PATEN	TED STATE LEASE	NO. ML 7910	PUBLIC I	EASÉ NO.		INDIA	1	
DRILLING APPROVED:	Cause #2 0-	2-63						
SPUDDED IN:	r in							
COMPLETED:				*	. "			
INITIAL PRODUCTION:								
GRAVITY A. P. I.					:			
GOR:								-
PRODUCING ZONES:			. ,					
TOTAL DEPTH:								
WELL ELEVATION:	4476, G 4480'	DF						
DATE ABANDONED:	* Location		noch 1-1	0-64	* * * * * * * * * * * * * * * * * * * *			
FIELD OR DISTRICT:	Wildcat 3/88	Treater	Ciaco					
COUNTY:	Grand		:			· · · · · · · · · · · · · · · · · · ·		
WELL NO.	STATE 32-71		API	43-01	9-100	953		
LOCATION: 330		LINE, 99	O' FT. FROM	1 (E) XW LINE.	NW NE N	QUARTER - QUA	RTER SE	c. 32
					- T			
TWP BCE	SEC ODERATOR		/					

TWP. RGE. SEC. OPERATOR

20 S 24 E 32 PUMPELLY-STAWA OPERATOR

FILE NOTATIONS	
Entered in NID File	Checked by Chief A W O
Entered On 5 R Sheet	Copy NID 6 FM Office
Location Map Pinned	Approval
Card Indexed	Tet Work over D
TWR for State or Fee Land	-/I K (N' /
OMPLETION DATA:	
Date Well Completed	Location Inspected
OV WW JAK	Bond related
GY OF PA	State 2: Fee Land
	LOGS FILED
Oriiller's Log	
Electric Logs (No.)	
E-1	
M:-L	Sonic Others

CDW 10-31-90



(SUBMIT IN DUPLICATE)



LAND:

1			
)	1	
	 	1	
ı			
1			
١			
1	 		
		i 1	1

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

SALT LAKE CITY, UTAH

Fee and Patented
State
Lease No. ML 7910
Public Domain
Lease No.
Indian
T

			,	Indian
				Lease No
SUNDRY	NOTICES AN	ND	REPORTS ON V	WELLS
Notice of Intention to Drill		X	Subsequent Report of Water	r Shut-off
Notice of Intention to Change I			Subsequent Report of Alteri	
Notice of Intention to Redrill or			Subsequent Report of Redri	
Notice of Intention to Pull or A			Supplementary Well History	~ '
Notice of Intention to Abandon				
(IND	DICATE ABOVE BY CHECK MARK N	IATUR	E OF REPORT, NOTICE, OR OTHER DATA)	
			Oct	ober 1, 19 63
	Care and the second	(NT)	profession .	,
Well No. 32-71 is loca	ited 330 ft. from	17/	line and .990 ft. from	line of Sec32
enter of NW NE NE	20 South	•	24 East	Salt Lake
(1/4 Sec. and Sec. No.)	(Twp.)		(Range)	(Meridian)
Wildcat	Grand		H t.	ah
(Field)			Subdivision)	(State or Territory)
The elevation of the derrick f	loor above sea level is	} .:	4480 feet. 4476 GL	r en
A duilling and plugging hand	han haan filad with f	24.	to Tond Doord Dated Wa	330000
A drilling and plugging bond	nas been med with). WCL .	weanuboara,bongno.	-1753251
	DETAIL	LS (OF WORK	
(State names of and expected dept jobs, cementing points, and all oth				
Drill 7 7/8" hole to Set 96! (3 lengths) Cement shoe to sur) 53" 11# J-55 cas	sinį		
Install B.O.P.	race v			
Drill 4 3/4" to 400	of and 4 1/2" to 1	the	Salt Wash, approximate	ly 900 deep
Core all good shows	· ·			
Run electric logs i	f we encounter a	go	od oil or gas sand.	

I understand that this plan of work must receive approval in writing by the Commission before operations may be commenced.

Company Pumpelly-Stava Operator

Address 550 Paseo Mirmar By

Pacific Palisades, Calif. Title Partner

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

ELEV. REFERRED TO 4485 FT. ELEV. OF DUTCH #1 FROM KEOGH - REG. LAND SURVEYOR 1963

SALT LAKE BASE & MERIDIAN

Briss Cap 29 29 29 30 1 32 Briss Cap 29 29 29 29 29 29 29 20 30 20 20 20 20 20 20 20 20			1203 R24E
31 32 32 32 33 PUMPELLY - STAVA - UT 32-71 ELEV. 4476 SEC 32 7205 R24E SL.B.EM. SCALE		Br. Cap 1/4 cor	<u> </u> 990
PUMPFLLY-STAVA-IITI 32-71 ELEV. 4476 SEC 32 720S R24E SL.B.E'M. SCALE	30 ♦ 29	29	29₹28
PUMPFLLY-STAVA-IITI 32-71 ELEV. 4476 SEC 32 720S R24E SL.B.E'M. SCALE	31 4 32	32	<u>32</u> 433
PUMPFLLY-STAVA-UTI 32-71 ELEV. 4476 NE 1/4 T20S R24E SL.B.EM. SCALE			
SEC 32 TZOS RZAE SL.B.EM. SCALE			
SEC 32 TZOS RZAE SL.B.EM. SCALE	PUMPEUX-S	TAVA-111 32-71	
SEC 32 TZOS RZAE SL.B.E'M. SCALE	ELEV. 447	76	
SEC 32 720S R24E SLB.EM. SCALE			
SEC 32 720S R24E SLB.EM. SCALE			
SEC 32 720S R24E SLB.EM. SCALE		Α	NE 1/4
T2OS R24E SLBEM. SCALE			
T2OS R24E SLBEM. SCALE			
T2OS R24E SLBEM. SCALE			
T2OS R24E SLBEM. SCALE			
T2OS R24E SLBEM. SCALE			
T2OS R24E SLBEM. SCALE			
T2OS R24E SLBEM. SCALE		SEC	
SCALE			***************************************
SCALE		TZOS RZ4E SLB, EN	1.
/w.=/000 FT.			SCALE
			/W.=1000 FT.
			· · · · · · · · · · · · · · · · · · ·
		ing a samula (Francisco)	
		교회 회사 공학자들의 원호택하였다. 학	

I, GERARD H. PESMAN, CERTIFY THAT THIS PLAT IS PLOTTED FROM FIELD NOTES OF A SURVEY MADE BY ME ON SEPT. 27, 1963.

Quart H. Carrian
UTAN REG. LAND SURVEYOR 1621

WELL SURVEY

PUMPELLY - STAVA

BY

GERARD H. PESMAN
711 No. 7TH - GRAND JCT. - COLO.
9/27/63



October 2, 1963

Pumpelly-Stava Operator 550 Paseo Mirmar Pacific Palisades, California

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. State #32-71, which is to be located 330 feet from the north line and 990 feet from the east line of Section 32, Township 20 South, Range 24 East, SLBM, Grand County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted in accordance with the Order issued in Cause #2, on June 28, 1956. However, this approval is conditional upon a Bond being filed with the State Land Board.

As soon as you have determined that it will be necessary to plug and abandon the above mentioned well, you are hereby requested to immediately notify the following:

PAUL W. BURCHELL, Chief Petroleum Engineer Office: DA 8-5771 or DA 8-5772 Home: CR 7-2890 Salt Lake City, Utah

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Enclosed please find Form OGCC-8-X, which is to be

completed if water sands (aquifers) are encountered while drilling, particularly assessable near surface water sands. Your cooperation with respect to completing this form will be greatly appreciated.

Please have the enclosed "Minimum Safety Requirements" notice posted in a conspicuous place on the drilling location.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

CBF: cnp

cc:

State Land Board Salt Lake City, Utah

H. L. Coonts, Petroleum Engineer Oil & Gas Conservation Commission Moab, Utah January 2, 1964

Pumpelly-Stava Operator 550 Paseo Mirmar Pacific Palisades, California

Re: Well No. State 32-71

Sec. 32, T. 20 S., R. 24 E.,

Grand County, Utah

Gentlemen:

Our records indicate that you have not filed a Monthly Report of Operations for the months of October and November, 1963 for the subject well. Rule C-22(1), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission requires that said reports be filed on or before the sixteenth (16) day of the succeeding month. These reports may be filed on Form OGCC-1b (U. S. Geological Survey Form 9-331, "Sundry Notices and Reports on Wells",) or on Company Forms containing substantially the same information.

We are enclosing Form OGCC-1b for your convenience.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLARELLA N. PECK RECORDS CLERK

cnp

Enclosure - Forms

cc:

Pumpelly-Stava Operator La Court Hotel Grand Junction, Colorado









IG	NAT	ION	AND	SERIAL	NO.	•
ŀ					J'	Ň
				V	X	∛ ः
				1	*)	1
			100	1	W. N	
		100		1.1	ARE HOP	/

This Gence	A	rue and correct.	Patros		DATE —	5-64
This a cencel	vell he	plication 1	rdill.			
This a cencel	vell ha	plication 1	bdrill.			
This a	vell ba	ns not been	뭐 휴가 체고하고하는 네셔요	y wr		
proposed work. If nent to this work.) *	COMPLETED OPERATIONAL	TIONS (Clearly state all port lly drilled, give subsurface	locations and measured an	d true vertical	depths for all marke	ate of startin ers and zones
SHOOT OR ACIDIZE REPAIR WELL (Other)	ABA CHA	ANGE PLANS	SHOOTING OR A (Other) (NOTE: I	CIDIZING	ABANDONM multiple completion on Report and Log f	ent*
TEST WATER SHUT-OF		LL OR ALTER CASING	WATER SHUT-O		repairing altering	
N	OTICE OF INTENTIO				T REPORT OF:	
	Check Appl	4480 ropriate Box To Indicat	e Nature of Notice F		GRAND ner Data	DIAT
PERMIT No.		15. ELEVATIONS (Show whethe	r DF, RT, GR, etc.)		12. COUNTY OF PARIS	
nter of NU	U-NE-1	Y			SURVEY OR ARI	05 R2
At surface					Wildcat 11. SEC., T., R., M., OF	BLK. AND
	eport location clea	rly and in accordance with	and the second s		O. FIELD AND POOL,	er an are considered and a second consideration of
ADDRESS OF OPERATOR		OPERATOR Trand Junctus	· /2 /). WELL NO. # 32 - 7	7)
NAME OF OPERATOR		DPEPATRO			3. FARM OR LEASE N	AME
OIL GAS WELL	OSE AFFLICATI	Var a marina — 100 Sur	··· Avandries		7. UNIT AGREEMENT I	NAME
and the second s		ES AND REPORTS to drill or to deepen or pl ON FOR PERMIT—" for suc			. IF INDÍAN, ALLOTT	ER OR TRIBE!
	DRY NOTICE	the fact that the first the first term of the fi		-	/ Y / _ / !	170
SUNI		RVATION COMMIS	SSION verse side)		5. LEASE DESIGNATIO	ラ ソヘ

TRAVELEF

THE TRAVELERS INSURANCE COMPANY . THE TRAVELERS INDEMNITY COMPANY



May 14, 1964

LOS ANGELES OFFICE 3600 Wilshire Boulevard Los Angeles 5, California Telephone: DUnkirk 1-2525

Utah Oil & Gas Conservation Commission 310 Newhouse Building 10 Exchange Place Salt Lake City 11, Utah

PUMPELLY, RAPHAEL AND WILLIAM J. STAVA Oil & Gas Leassee Bond RE:

Lease #ML 7910

\$5,000.00 Bond No. 1123927

Dated: October 2, 1963

Dear Sir:

We, the undersigned, are Surety on the above captioned bond written in your favor.

Please advise if our liability under the above bond is to continue, or if it is in order to terminate this bond.

A self-addressed envelope is enclosed for your convenience in replying.

Thank you for your courtesy in this matter.

Very truly yours,

THE TRAVELERS INDEMNITY COMPANY

AS ME OFFICE SAMPRORE, CONSECUTOR

May 21, 1964

The Travelers Insurance Company 3600 Wilshire Boulevard Los Angeles 5, California

Attention: Mr. K. M. Dulin, Attorney-in-Fact

Re: Pumpelly, Raphael and W. J. Stava Well Hos. Pumpelly Stava \$32-74 & State \$32-71 in Sec. 32, T. 20 S. R. 24 E.k Grand County, Utch. Oil & Gas Leassee Bond RE. 7910 Bond No. 1123927 \$5,000.00 Dated: October 2, 1963

Gentlemen:

The Pumpelly-Stave #32-74 Well was inspected on March 18, 1964, by our Petroleum Engineer, Harvey L. Coonts, and was found satisfact-orily cleaned and marked. The application on the State #32-71 Well was cancelled by the operator. Therefore, insofar as this office is concerned, the bond covering these wells may be released.

Please be advised that Well No. State #36-33, ME#20771, Bond No. 1123925 dated September 26, 1963, has not as of yet been inspected. As soon as inspection has been made we will inform you so that you may release the bond covering this well.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT EXECUTIVE DIRECTOR

OF: key

cc: Pumpelly-Stave Operator - Grand Junction, Colorado
Donald G. Prince, State Land Board - Salt Lake City, Utah
R. L. Coonts, Pet. Eng., Oil & Gas Conservation Commission - Mosb, Utah